Distributed by:

JAMECO

ELECTRONICS

www.Jameco.com + 1-800-831-4242

The content and copyrights of the attached material are the property of its owner.

Jameco Part Number 216099



For Six "AA" Cells


BH-363A Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26


BH-363B

Four-prong or six-prong snap terminal

BH-363D

With TAG (Solder, LUG) Terminal








BH-311-2A Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-311-2D

With TAG (Solder, LUG) Terminal





For one "AA" Cell

BH-311-2P

With Pin (PC Mounted)

BH-321-2A

Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26



BH-321-2AS Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26 With Switch


For two "AA" Cells W


BH-321-2D

With TAG (Solder, LUG) Terminal

BH-321-2P

With Pin (PC Mounted)





BH-321-4A

Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-321-4B


Four-prong or six-prong snap terminal

BH-321-4D

With TAG (Solder, LUG) Terminal

BH-321-4P

With Pin (PC Mounted)





For two "AA" Cells



For four "AA" Cells

BH-341-2A Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-341-2B


Four-prong or six-prong snap terminal

BH-341-2D

With TAG (Solder, LUG) Terminal

BH-341-2P

With Pin (PC Mounted)





BH-331-A Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-331-B


Four-prong or six-prong snap terminal

BH-331-D

With TAG (Solder, LUG) Terminal

For three "AA" Cells BH-331-P

With Pin (PC Mounted)





For four "AA" Cells


BH-343-1A Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-343-1B

Four-prong or six-prong snap terminal

BH-343-1D

With TAG (Solder, LUG) Terminal






For six "AA" Cells

BH-364-A Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-364-D

With TAG (Solder, LUG) Terminal







BH-382-A Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL 1007, AW G#26




Four-prong or six-prong snap terminal





With TAG (Solder, LUG) Terminal





For eight "AA" Cells

BH-383-A


Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-383-B

Four-prong or six-prong snap terminal

BH-383-D

With TAG (Solder, LUG) Terminal





For two "AA" Cells

BH-421-1A

Lead wire (150mm) Strip & Tin: 5mm+/-1mm UL1007, AWG#26

BH-421-1B


Four-prong or six-prong snap terminal

BH-421-1D

With TAG (Solder, LUG) Terminal

BH-421-1P

With Pin (PC Mounted)





For Three "AAA" Cells

BH431-1A

With lead wires 150mm Strip &Tin:5mm+/-1mm UL1007,AWG#26

BH431-1B


With 4prong or 6prongsnap terminal

BH431-1D

With TAG(Solder, LUG) Terminal

BH431-1P

With Pin(PC Mounted)





FOR 9V CELL

BH9VA With lead wires 150mm Strip &Tin:5mm+/-1mm UL1007,AWG#26

BH9VD With TAG(Solder,LUG)Terminal

BH9VP With Pin(PC Mounted)

