


Model:	C429: -L28, -L36, -L60
Image Sensor:	1/4 MT9V011 CMOS
Signal System:	NTSC
Effective Pixels:	704 (H)×576 (V) / 712 (H) ×486 (V)
Sensing Area:	3.5964mm x 2.7084mm
Horizontal Resolution:	410TV lines
Scanning frequency (H)	15.625KHz / 15.734KHz
Scanning frequency (V)	50Hz / 60Hz
Minumum Illumination:	2.0 Lux/F1.2
Video Output:	1.0vp-p, 75Ω
Gamma value:	0.45
AGC:	Auto
S/N Ratio:	≥ 48dB
white balance	Auto
image output format:	JPEG
image output size	480*320或240*160 (Optional)
Power Consumption:	DC 5V±10% 80mA±10%
PCB size	32*32 (mm)
Operation Temperature:	- 20°C~50°C , RH95 % MAX
Stock Temperature:	- 30°C~60°C , RH95 % MAX



C429 Board Lens Options:

	Model No.	L60
	Focal length (mm)	6
	Aperture (D/f')	1/1.8
	Horizontal field	29°15'
	M.O.D (m)	0.2
	Fomat(Inch)	1/3"
	Mount	M12×0.5
	Dimension (D×L mm)	φ14×14.7
	Weight(g)	4.0
	Character	
	Model No.	L36
	Focal length (mm)	3.6
	Aperture (D/f')	1/2.0
	Horizontal field	85 °
	M.O.D (m)	0.2
	Fomat(Inch)	1/3"
	Mount	M12×0.5
	Dimension (D×L mm)	φ14× 15
	Weight(g)	3.4
	Character	
	Model No.	L28
	Focal length (mm)	2.8
	Aperture (D/f')	1/2.0
	Horizontal field	95 °
	M.O.D (m)	0.2
	Fomat(Inch)	1/3"
	Mount	M12×0.5
	Dimension (D×L mm)	φ14×16.8
	Weight(g)	4.0
	Character	